

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Permian Basin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count		1	1
		% within Sex		9.1%	3.8%
	20-24	Count	1	3	4
		% within Sex	6.7%	27.3%	15.4%
	25-29	Count	1	2	3
		% within Sex	6.7%	18.2%	11.5%
	30-39	Count	6	2	8
		% within Sex	40.0%	18.2%	30.8%
	40-49	Count	6	3	9
		% within Sex	40.0%	27.3%	34.6%
	60-69	Count	1		1
		% within Sex	6.7%		3.8%
Total	Count	15	11	26	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	6	4	10
		% within Sex	40.0%	36.4%	38.5%
	African American	Count	1	1	2
		% within Sex	6.7%	9.1%	7.7%
	Hispanic	Count	8	6	14
		% within Sex	53.3%	54.5%	53.8%
Total	Count	15	11	26	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	8		8
		% within Sex	53.3%		30.8%
	IDU	Count	3	1	4
		% within Sex	20.0%	9.1%	15.4%
	Heterosexual Contact	Count	1	7	8
		% within Sex	6.7%	63.6%	30.8%
	Not Classified	Count	3	3	6
		% within Sex	20.0%	27.3%	23.1%
Total	Count	15	11	26	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	10	10
		% within Adult-Ped	38.5%	38.5%
	African American	Count	2	2
		% within Adult-Ped	7.7%	7.7%
	Hispanic	Count	14	14
		% within Adult-Ped	53.8%	53.8%
Total	Count	26	26	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Permian Basin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	15	15
		% within Adult-Ped	57.7%	57.7%
	Female	Count	11	11
		% within Adult-Ped	42.3%	42.3%
Total		Count	26	26
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Permian Basin

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Permian Basin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	2		2
		% within Sex	10.0%		8.3%
	25-29	Count	2		2
		% within Sex	10.0%		8.3%
	30-39	Count	5	2	7
		% within Sex	25.0%	50.0%	29.2%
	40-49	Count	8	2	10
		% within Sex	40.0%	50.0%	41.7%
	50-59	Count	2		2
		% within Sex	10.0%		8.3%
	60-69	Count	1		1
		% within Sex	5.0%		4.2%
Total	Count	20	4	24	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	11	3	14
		% within Sex	55.0%	75.0%	58.3%
	African American	Count	2		2
		% within Sex	10.0%		8.3%
	Hispanic	Count	6	1	7
		% within Sex	30.0%	25.0%	29.2%
	Asian-Pacific Islander	Count	1		1
		% within Sex	5.0%		4.2%
	Total		Count	20	4
			% within Sex	100.0%	100.0%

a. HSDA = Permian Basin

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4		4
		% within Sex	20.0%		16.7%
	IDU	Count	4	1	5
		% within Sex	20.0%	25.0%	20.8%
	M-M & IDU	Count	2		2
		% within Sex	10.0%		8.3%
	Heterosexual Contact	Count	1	2	3
		% within Sex	5.0%	50.0%	12.5%
	Not Classified	Count	9	1	10
		% within Sex	45.0%	25.0%	41.7%
Total	Count	20	4	24	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	14	14
		% within Adult-Ped	58.3%	58.3%
	African American	Count	2	2
		% within Adult-Ped	8.3%	8.3%
	Hispanic	Count	7	7
		% within Adult-Ped	29.2%	29.2%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	4.2%	4.2%
Total	Count	24	24	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Permian Basin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	20	20
		% within Adult-Ped	83.3%	83.3%
	Female	Count	4	4
		% within Adult-Ped	16.7%	16.7%
Total		Count	24	24
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Permian Basin

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Permian Basin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	1 (12-23 mo)	Count	1		1
		% within Sex	1.5%		1.1%
	13-19	Count	1	2	3
		% within Sex	1.5%	7.7%	3.2%
	20-24	Count	4	4	8
		% within Sex	5.9%	15.4%	8.5%
	25-29	Count	12	6	18
		% within Sex	17.6%	23.1%	19.1%
	30-39	Count	26	8	34
		% within Sex	38.2%	30.8%	36.2%
	40-49	Count	19	6	25
		% within Sex	27.9%	23.1%	26.6%
	50-59	Count	2		2
		% within Sex	2.9%		2.1%
	60-69	Count	3		3
		% within Sex	4.4%		3.2%
Total	Count	68	26	94	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	33	12	45
		% within Sex	48.5%	46.2%	47.9%
	African American	Count	6	3	9
		% within Sex	8.8%	11.5%	9.6%
	Hispanic	Count	26	11	37
		% within Sex	38.2%	42.3%	39.4%
	Asian-Pacific Islander	Count	2		2
		% within Sex	2.9%		2.1%
	Am Indian-Alaskan	Count	1		1
		% within Sex	1.5%		1.1%
	Total	Count	68	26	94
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	27		27
		% within Sex	39.7%		28.7%
	IDU	Count	9	5	14
		% within Sex	13.2%	19.2%	14.9%
	M-M & IDU	Count	5		5
		% within Sex	7.4%		5.3%
	Heterosexual Contact	Count	2	13	15
		% within Sex	2.9%	50.0%	16.0%
	Not Classified	Count	24	8	32
		% within Sex	35.3%	30.8%	34.0%
	Ped Parent at Risk	Count	1		1
		% within Sex	1.5%		1.1%
Total	Count	68	26	94	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	44	45
		% within Adult-Ped	100.0%	47.3%	47.9%
	African American	Count		9	9
		% within Adult-Ped		9.7%	9.6%
	Hispanic	Count		37	37
		% within Adult-Ped		39.8%	39.4%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		2.2%	2.1%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		1.1%	1.1%
Total	Count	1	93	94	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	67	68
		% within Adult-Ped	100.0%	72.0%	72.3%
	Female	Count		26	26
		% within Adult-Ped		28.0%	27.7%
Total		Count	1	93	94
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Permian Basin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	1 (12-23 mo)	Count	1		1
		% within Sex	1.5%		1.1%
	13-19	Count	1	2	3
		% within Sex	1.5%	7.7%	3.3%
	20-24	Count	4	4	8
		% within Sex	6.2%	15.4%	8.8%
	25-29	Count	12	6	18
		% within Sex	18.5%	23.1%	19.8%
	30-39	Count	24	8	32
		% within Sex	36.9%	30.8%	35.2%
	40-49	Count	18	6	24
		% within Sex	27.7%	23.1%	26.4%
	50-59	Count	2		2
		% within Sex	3.1%		2.2%
	60-69	Count	3		3
		% within Sex	4.6%		3.3%
	Total	Count	65	26	91
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1		1
		% within Sex	1.5%		1.1%
	13-19	Count		1	1
		% within Sex		3.8%	1.1%
	20-24	Count	3	4	7
		% within Sex	4.6%	15.4%	7.7%
	25-29	Count	6	3	9
		% within Sex	9.2%	11.5%	9.9%
	30-39	Count	27	10	37
		% within Sex	41.5%	38.5%	40.7%
40-49	Count	21	8	29	
	% within Sex	32.3%	30.8%	31.9%	
50-59	Count	4		4	
	% within Sex	6.2%		4.4%	
60-69	Count	3		3	
	% within Sex	4.6%		3.3%	
Total		Count	65	26	91
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	31	12	43
		% within Sex	47.7%	46.2%	47.3%
	African American	Count	6	3	9
		% within Sex	9.2%	11.5%	9.9%
	Hispanic	Count	25	11	36
		% within Sex	38.5%	42.3%	39.6%
	Asian-Pacific Islander	Count	2		2
		% within Sex	3.1%		2.2%
	Am Indian-Alaskan	Count	1		1
		% within Sex	1.5%		1.1%
Total	Count	65	26	91	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	26		26
		% within Sex	40.0%		28.6%
	IDU	Count	9	5	14
		% within Sex	13.8%	19.2%	15.4%
	M-M & IDU	Count	5		5
		% within Sex	7.7%		5.5%
	Heterosexual Contact	Count	2	13	15
		% within Sex	3.1%	50.0%	16.5%
	Not Classified	Count	22	8	30
		% within Sex	33.8%	30.8%	33.0%
	Ped Parent at Risk	Count	1		1
		% within Sex	1.5%		1.1%
Total	Count	65	26	91	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	42	43
		% within Adult-Ped	100.0%	46.7%	47.3%
	African American	Count		9	9
		% within Adult-Ped		10.0%	9.9%
	Hispanic	Count		36	36
		% within Adult-Ped		40.0%	39.6%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		2.2%	2.2%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		1.1%	1.1%
Total	Count	1	90	91	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	64	65
		% within Adult-Ped	100.0%	71.1%	71.4%
	Female	Count		26	26
		% within Adult-Ped		28.9%	28.6%
Total		Count	1	90	91
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Permian Basin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	2		2
		% within Sex	15.4%		14.3%
	30-39	Count	5		5
		% within Sex	38.5%		35.7%
	40-49	Count	5	1	6
		% within Sex	38.5%	100.0%	42.9%
	50-59	Count	1		1
		% within Sex	7.7%		7.1%
Total	Count	13	1	14	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7		7
		% within Sex	53.8%		50.0%
	African American	Count	3		3
		% within Sex	23.1%		21.4%
	Hispanic	Count	2	1	3
		% within Sex	15.4%	100.0%	21.4%
	Asian-Pacific Islander	Count	1		1
		% within Sex	7.7%		7.1%
Total	Count	13	1	14	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7		7
		% within Sex	53.8%		50.0%
	IDU	Count	1		1
		% within Sex	7.7%		7.1%
	Heterosexual Contact	Count		1	1
		% within Sex		100.0%	7.1%
	Not Classified	Count	5		5
		% within Sex	38.5%		35.7%
Total	Count	13	1	14	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	7	7
		% within Adult-Ped	50.0%	50.0%
	African American	Count	3	3
		% within Adult-Ped	21.4%	21.4%
	Hispanic	Count	3	3
		% within Adult-Ped	21.4%	21.4%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	7.1%	7.1%
Total	Count	14	14	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Permian Basin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	13	13
		% within Adult-Ped	92.9%	92.9%
	Female	Count	1	1
		% within Adult-Ped	7.1%	7.1%
Total		Count	14	14
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Permian Basin

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Permian Basin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1		1
		% within Sex	5.3%		4.2%
	25-29	Count	1		1
		% within Sex	5.3%		4.2%
	30-39	Count	6	1	7
		% within Sex	31.6%	20.0%	29.2%
	40-49	Count	3	3	6
		% within Sex	15.8%	60.0%	25.0%
	50-59	Count	7	1	8
		% within Sex	36.8%	20.0%	33.3%
	60-69	Count	1		1
		% within Sex	5.3%		4.2%
Total	Count	19	5	24	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7	2	9
		% within Sex	36.8%	40.0%	37.5%
	African American	Count	4	3	7
		% within Sex	21.1%	60.0%	29.2%
	Hispanic	Count	8		8
		% within Sex	42.1%		33.3%
Total	Count	19	5	24	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	5		5
		% within Sex	26.3%		20.8%
	IDU	Count	3	1	4
		% within Sex	15.8%	20.0%	16.7%
	M-M & IDU	Count	2		2
		% within Sex	10.5%		8.3%
	Heterosexual Contact	Count	2		2
		% within Sex	10.5%		8.3%
	Not Classified	Count	7	4	11
		% within Sex	36.8%	80.0%	45.8%
Total	Count	19	5	24	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	37.5%	37.5%
	African American	Count	7	7
		% within Adult-Ped	29.2%	29.2%
	Hispanic	Count	8	8
		% within Adult-Ped	33.3%	33.3%
Total	Count	24	24	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Permian Basin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	19	19
		% within Adult-Ped	79.2%	79.2%
	Female	Count	5	5
		% within Adult-Ped	20.8%	20.8%
Total		Count	24	24
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Permian Basin

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Permian Basin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count	3		3
		% within Sex	.9%		.7%
	13-19	Count	6		6
		% within Sex	1.7%		1.5%
	20-24	Count	17	4	21
		% within Sex	4.8%	7.3%	5.2%
	25-29	Count	60	7	67
		% within Sex	17.0%	12.7%	16.5%
	30-39	Count	151	25	176
		% within Sex	42.9%	45.5%	43.2%
	40-49	Count	82	14	96
		% within Sex	23.3%	25.5%	23.6%
	50-59	Count	23	5	28
		% within Sex	6.5%	9.1%	6.9%
	60-69	Count	8		8
		% within Sex	2.3%		2.0%
	70+	Count	2		2
		% within Sex	.6%		.5%
Total		Count	352	55	407
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	198	21	219
		% within Sex	56.3%	38.2%	53.8%
	African American	Count	51	16	67
		% within Sex	14.5%	29.1%	16.5%
	Hispanic	Count	102	18	120
		% within Sex	29.0%	32.7%	29.5%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.3%		.2%
	Total		Count	352	55
			% within Sex	100.0%	100.0%

a. HSDA = Permian Basin

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	168		168
		% within Sex	47.7%		41.3%
	IDU	Count	51	16	67
		% within Sex	14.5%	29.1%	16.5%
	M-M & IDU	Count	54		54
		% within Sex	15.3%		13.3%
	Hemophiliac	Count	7		7
		% within Sex	2.0%		1.7%
	Heterosexual Contact	Count	8	17	25
		% within Sex	2.3%	30.9%	6.1%
	Transfusion	Count	9	7	16
		% within Sex	2.6%	12.7%	3.9%
	Not Classified	Count	52	15	67
		% within Sex	14.8%	27.3%	16.5%
	Ped Hemophiliac	Count	1		1
		% within Sex	.3%		.2%
	Ped Parent at Risk	Count	2		2
		% within Sex	.6%		.5%
Total		Count	352	55	407
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	217	219
		% within Adult-Ped	66.7%	53.7%	53.8%
	African American	Count		67	67
		% within Adult-Ped		16.6%	16.5%
	Hispanic	Count	1	119	120
		% within Adult-Ped	33.3%	29.5%	29.5%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.2%	.2%
Total		Count	3	404	407
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	349	352
		% within Adult-Ped	100.0%	86.4%	86.5%
	Female	Count		55	55
		% within Adult-Ped		13.6%	13.5%
Total		Count	3	404	407
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Permian Basin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count	1		1
		% within Sex	.7%		.6%
	13-19	Count	4		4
		% within Sex	2.8%		2.4%
	20-24	Count	4	2	6
		% within Sex	2.8%	7.7%	3.6%
	25-29	Count	22	3	25
		% within Sex	15.5%	11.5%	14.9%
	30-39	Count	62	14	76
		% within Sex	43.7%	53.8%	45.2%
	40-49	Count	34	4	38
		% within Sex	23.9%	15.4%	22.6%
	50-59	Count	13	3	16
		% within Sex	9.2%	11.5%	9.5%
	60-69	Count	1		1
		% within Sex	.7%		.6%
	70+	Count	1		1
		% within Sex	.7%		.6%
Total		Count	142	26	168
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	20-24	Count	1	1	2
		% within Sex	.7%	3.8%	1.2%
	25-29	Count	6		6
		% within Sex	4.2%		3.6%
	30-39	Count	44	8	52
		% within Sex	31.0%	30.8%	31.0%
	40-49	Count	63	11	74
		% within Sex	44.4%	42.3%	44.0%
	50-59	Count	22	5	27
		% within Sex	15.5%	19.2%	16.1%
	60-69	Count	5	1	6
		% within Sex	3.5%	3.8%	3.6%
	70+	Count	1		1
		% within Sex	.7%		.6%
Total		Count	142	26	168
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	69	11	80
		% within Sex	48.6%	42.3%	47.6%
	African American	Count	26	8	34
		% within Sex	18.3%	30.8%	20.2%
	Hispanic	Count	46	7	53
		% within Sex	32.4%	26.9%	31.5%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.7%		.6%
	Total		Count	142	26
			% within Sex	100.0%	100.0%

a. HSDA = Permian Basin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	61		61
		% within Sex	43.0%		36.3%
	IDU	Count	21	9	30
		% within Sex	14.8%	34.6%	17.9%
	M-M & IDU	Count	20		20
		% within Sex	14.1%		11.9%
	Hemophiliac	Count	2		2
		% within Sex	1.4%		1.2%
	Heterosexual Contact	Count	7	7	14
		% within Sex	4.9%	26.9%	8.3%
Total	Transfusion	Count	3	1	4
		% within Sex	2.1%	3.8%	2.4%
	Not Classified	Count	27	9	36
		% within Sex	19.0%	34.6%	21.4%
	Ped Hemophiliac	Count	1		1
		% within Sex	.7%		.6%
	Total	Count	142	26	168
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	79	80
		% within Adult-Ped	100.0%	47.3%	47.6%
	African American	Count		34	34
		% within Adult-Ped		20.4%	20.2%
	Hispanic	Count		53	53
		% within Adult-Ped		31.7%	31.5%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.6%	.6%
Total	Total	Count	1	167	168
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	141	142
		% within Adult-Ped	100.0%	84.4%	84.5%
	Female	Count		26	26
		% within Adult-Ped		15.6%	15.5%
Total		Count	1	167	168
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

HSDA = Permian Basin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	1 (12-23 mo)	Count	1		1
		% within Sex	.5%		.4%
	5-12	Count	1		1
		% within Sex	.5%		.4%
	13-19	Count	5	2	7
		% within Sex	2.4%	3.8%	2.7%
	20-24	Count	8	6	14
		% within Sex	3.9%	11.5%	5.4%
	25-29	Count	34	9	43
		% within Sex	16.4%	17.3%	16.6%
	30-39	Count	86	22	108
		% within Sex	41.5%	42.3%	41.7%
	40-49	Count	52	10	62
		% within Sex	25.1%	19.2%	23.9%
	50-59	Count	15	3	18
		% within Sex	7.2%	5.8%	6.9%
	60-69	Count	4		4
		% within Sex	1.9%		1.5%
	70+	Count	1		1
		% within Sex	.5%		.4%
Total		Count	207	52	259
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1		1
		% within Sex	.5%		.4%
	13-19	Count		1	1
		% within Sex		1.9%	.4%
	20-24	Count	4	5	9
		% within Sex	1.9%	9.6%	3.5%
	25-29	Count	12	3	15
		% within Sex	5.8%	5.8%	5.8%
	30-39	Count	71	18	89
		% within Sex	34.3%	34.6%	34.4%
	40-49	Count	84	19	103
		% within Sex	40.6%	36.5%	39.8%
Total	50-59	Count	26	5	31
		% within Sex	12.6%	9.6%	12.0%
	60-69	Count	8	1	9
		% within Sex	3.9%	1.9%	3.5%
	70+	Count	1		1
		% within Sex	.5%		.4%
	Total		207	52	259
			100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	100	23	123
		% within Sex	48.3%	44.2%	47.5%
	African American	Count	32	11	43
		% within Sex	15.5%	21.2%	16.6%
	Hispanic	Count	71	18	89
		% within Sex	34.3%	34.6%	34.4%
	Asian-Pacific Islander	Count	3		3
		% within Sex	1.4%		1.2%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.5%		.4%
	Total		207	52	259
			100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	87		87
		% within Sex	42.0%		33.6%
	IDU	Count	30	14	44
		% within Sex	14.5%	26.9%	17.0%
	M-M & IDU	Count	25		25
		% within Sex	12.1%		9.7%
	Hemophiliac	Count	2		2
		% within Sex	1.0%		.8%
	Heterosexual Contact	Count	9	20	29
		% within Sex	4.3%	38.5%	11.2%
	Transfusion	Count	3	1	4
		% within Sex	1.4%	1.9%	1.5%
	Not Classified	Count	49	17	66
		% within Sex	23.7%	32.7%	25.5%
	Ped Hemophiliac	Count	1		1
		% within Sex	.5%		.4%
	Ped Parent at Risk	Count	1		1
		% within Sex	.5%		.4%
Total		Count	207	52	259
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Permian Basin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	121	123
		% within Adult-Ped	100.0%	47.1%	47.5%
	African American	Count		43	43
		% within Adult-Ped		16.7%	16.6%
	Hispanic	Count		89	89
		% within Adult-Ped		34.6%	34.4%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		1.2%	1.2%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.4%	.4%
Total	Count	2	257	259	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Permian Basin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	2	205	207
		% within Adult-Ped	100.0%	79.8%	79.9%
	Female	Count		52	52
		% within Adult-Ped		20.2%	20.1%
Total		Count	2	257	259
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Permian Basin